## UL Product iQ®



## ZPMV8.E469500 - Wiring, Printed Certified for Canada - Component Wiring, Printed Certified for Canada - Component

## Foshan Tian Qi Circuit Board Co Ltd

E469500

No1 North Sea Sky Road Sanzhou Gaoming Avenue East HeCheng Street Gaoming District Foshan, 528500 China

	Cond Width Max				Max	Report						Max			
	Min		Cond	SS/	Area	Date	Surface	Assembl	y Solder	Solder		Oper		Meets	C
	Min	Edge	Thk	DS/	Diam	After	Mount	Process	Process	Limits		Temp	Flame	UL796	Т
Туре	mm	mm	mic	DSO	mm	2022-01-01	Technology	Temp °C	Cycles	°C	sec	°C	Class	DSR	I
Single layer metal base printed wiring boards															
TQM-1	0.15	0.25	17	SS	50.8	No	-	-	-	288	20	90	V-0	All	*
TQM-2	0.10	0.15	19	SS	50.8	No	-	-	-	288	20	130	V-0	All	*
Single laye	Single layer printed wiring boards														
TQ-1	0.1	0.3	17	DS	76.2	No	-	-	-	288	20	130	V-0	All	*

<sup>\* -</sup> CTI marking is optional and may be marked on the printed wiring board.

Marking: Company nameor file number and type designation and the Recognized Component Mark for Canada, May be followed by a suffix to denote factory identification or flammability classification..



Last Updated on 2022-10-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format:

- 4